



BRUTALLY EFFECTIVE



MANUFACTURED IN ENGLAND

Landscapers • Tree Surgeons • Land Clearance Contractors

Forestry • Agriculture • Hire Companies

**Cone Splitter**

KCS500 • KCS800

# Cone Splitter

KCS500 • KCS800


The KCS500 and KCS800 are built for heavy-duty splitting tasks. They are specifically designed to maximise ease of use and productivity, while requiring very little maintenance.

They can be used for:

- Breaking up logs that are too big to fit into woodchippers
- Splitting large-diameter lengths of firewood to allow them to fit wood processors
- Reducing large pieces of waste wood such as stumps, permitting easier handling
- General firewood splitting work

Their ability to split large pieces of wood in situ reduces the need for handling, both manually and with machinery, increasing efficiency and reducing the risk of injury caused by accidents during the handling process.

Compatible with:



Mini Skid-Steers



Sit-in Skid-Steers



Tractor Front-end  
Loaders



Telehandlers



Mini Articulated  
Loaders




Excavators



# Cone Splitter

KCS500 • KCS800


## Key Features




The cone tip is hardened to minimise wear under heavy usage, and can be replaced if required, without replacing the whole cone.



The low-speed, high-torque geroler motor removes the need for a reduction gearbox, minimising the number of moving parts and maximising efficiency.




The aggressive cone taper angle and sharp, deep thread ensures that the cone rapidly splits the workpiece, without slipping.



The sturdy hydraulic hoses are protected from scuff wear by heavy-duty spiral wrap.

| Dimensions (excluding tool grip) | KCS500 | KCS800 |
|----------------------------------|--------|--------|
| A - Overall height (mm)          | 800    | 820    |
| B - Overall width (mm)           | 235    | 235    |
| C - Overall length (mm)          | 350    | 350    |
| D - Cone diameter - widest (mm)  | 195    | 215    |
| E - Overall height of cone (mm)  | 340    | 365    |
| Overall weight (kg)              | 125    | 130    |



| Hydraulic service requirements      | KCS500  | KCS800  |
|-------------------------------------|---------|---------|
| Min/max flow (litres/min)           | 25/80   | 35/80   |
| Min/max pressure (bar)              | 175/255 | 160/235 |
| Case drain required?                | No      | No      |
| Pressure-free return line required? | No      | No      |

## Review of the Klou Cone Splitter

"I have noted below some of the benefits we have noticed from owning a Klou Cone Splitter:

- **Faster, easier and safer firewood processing**
- **The option to split down larger sections of timber for the chipper, saving on extra vehicle trips and space in our yard for low-value timber**
- **The larger timber arisings from tree work can be an extra burden to remove. Customers are often happy to keep the smaller timber that won't go through the chipper but the oversized timber is too large for them to manage. Having the ability to offer all of the timber to be left in a manageable size saves cost for us and replaces that with a valuable chargeable service to the customer."**

**Ian Geddes, Managing Director of Toller Tree Care Ltd**

**Tel: 01202 517799 • [sales@klouuk.com](mailto:sales@klouuk.com) • [www.klouuk.com](http://www.klouuk.com)**

**Klou UK • 17 Whittle Road • Ferndown Industrial Estate • Wimborne • BH21 7RL**